



© blastmaths.co.uk

I can solve an equation with a multiplied term on one side e.g. $2x + 5 = 17$

1. $2x + 8 = 14$

2. $3x + 15 = 21$

3. $4x - 8 = 4$

4. $12 + 5x = 27$

5. $5 + 3x = 17$

6. $4x + 11 = 7$

7. $18 + 3x = -3$

1. $4x + 11 = 31$

2. $3x - 15 = 6$

3. $5x - 12 = 13$

4. $14 + 3x = 8$

5. $17 + 2x = 1$

6. $15 - x = 10$

7. $-2x + 8 = 12$



© blastmaths.co.uk

I can solve an equation with a multiplied term on one side e.g. $2x + 5 = 17$

1. $2x + 8 = 14$ $x = 3$

2. $3x + 15 = 21$ $x = 2$

3. $4x - 8 = 4$ $x = 3$

4. $12 + 5x = 27$ $x = 3$

5. $5 + 3x = 17$ $x = 4$

6. $4x + 11 = 7$ $x = -1$

7. $18 + 3x = -3$ $x = -7$

1. $4x + 11 = 31$ $x = 5$

2. $3x - 15 = 6$ $x = 7$

3. $5x - 12 = 13$ $x = 5$

4. $14 + 3x = 8$ $x = -2$

5. $17 + 2x = 1$ $x = -8$

6. $15 - x = 10$ $x = 5$

7. $-2x + 8 = 12$ $x = 10$